

Sockets en java III

Queremos crear un server que cuando reciba conexión de un cliente cree un hilo y lo lance hasta que reciba la cadena salir:

Clase SimpleThread

```
package sockets2LaPelicula;

public class SimpleThread extends Thread{
    public static final int FOR_EVER = -1;//Constante
    protected long delay;//variable
    protected int times;//Variable
    public SimpleThread (long delay, int times) {
        System.out.println("Constructor SimpleThread");
        this.delay = delay;
        this.times = times;
    }
    public void run() {
        try {
            for(int aux = times; (times>=0)|| (aux == FOR_EVER); times--) {
                System.out.println("Mi Delay es:"+delay);
                sleep(delay);
            }
        }catch(Exception e) {
            System.out.println("Error.");
        }
    }
}
```

Clase Servidor

```
package sockets2LaPelicula;

import java.io.BufferedReader;
import java.io.IOException;
import java.io.InputStreamReader;
import java.io.OutputStreamWriter;
import java.io.PrintWriter;
import java.net.ServerSocket;
import java.net.Socket;

import sockets2LaPelicula.Cliente2;
```

```
public class Servidor2 {
    public static int PUERTO = 5000; //Indicamos el puerto del servidor
    public void ejecutarHastaCadenaSalir() { //Se ejecuta hasta recibir
cadena salir
        try {

            System.out.println("Lanzando Servidor...");
            ServerSocket serverSocket = new ServerSocket(Servidor2.PUERTO);
            Socket socket = serverSocket.accept();

            BufferedReader br = new BufferedReader(new
InputStreamReader(socket.getInputStream())); //Buffer entrada
            PrintWriter pw = new PrintWriter(new
OutputStreamWriter(socket.getOutputStream())); //Buffer salida

            String cadenaRecibida = "";
            while(!(cadenaRecibida = br.readLine()).equalsIgnoreCase("Salir"))
{//Mientras no se reciba salir ejecuta esto
                pw.println(cadenaRecibida);
                System.out.println("No se ha enviado salir");
                initialize();
                pw.flush();
            }
            System.out.println("Cerrando servidor.....");

        } catch (IOException e) {
            e.printStackTrace();
        }
    }

    public static void main(String[] args) {
        Servidor2 server = new Servidor2();
        server.ejecutarHastaCadenaSalir();
    }
}
```

</code java>

===== Clase Cliente =====

<code>

```
package sockets2LaPelicula;

import java.io.BufferedReader;
```

```
import java.io.IOException;
import java.io.InputStreamReader;
import java.io.OutputStreamWriter;
import java.io.PrintWriter;
import java.net.Socket;
import java.util.Scanner;

import sockets2LaPelicula.Cliente2;
import sockets2LaPelicula.Servidor2;

public class Cliente2 {
    public void ejecutar() {
        try {

            System.out.print("Lanzando conexión...");

            Socket socket = new Socket ("127.0.0.1",
Servidor2.PUERTO);//Conectamos al servidor

            System.out.println("[OK]");

            BufferedReader br = new BufferedReader(new
InputStreamReader(socket.getInputStream()));//Bufer de lectura
            PrintWriter pw = new PrintWriter(new
OutputStreamWriter(socket.getOutputStream()));//Buffer de escritura

            String cadenaRecibida = br.readLine();
            System.out.println(cadenaRecibida);

            pw.println("cadena recibida" + cadenaRecibida);
            pw.flush();

            System.out.println("Fin del Cliente");

        }catch(IOException e){
            e.printStackTrace();
        }
    }

    public void ejecutarInfinito() {
        try {

            System.out.print("Lanzando conexión...");

            Socket socket = new Socket ("127.0.0.1",
```

```
Servidor2.PUERTO);//Conectamos al servidor

    System.out.println("[OK]");

    BufferedReader br = new BufferedReader(new
InputStreamReader(socket.getInputStream()));//Bufer de lectura
    PrintWriter pw = new PrintWriter(new
OutputStreamWriter(socket.getOutputStream()));//Buffer de escritura

    String lineaLeida = "";
    Scanner teclado = new Scanner(System.in);

    while(true) {
        lineaLeida = teclado.nextLine();
        pw.println(lineaLeida);
        pw.flush();
    }

    }catch(IOException e){
        e.printStackTrace();
    }
}

public static void main(String[] args) {
    Cliente2 client = new Cliente2();
    client.ejecutarInfinito();
}
}
```

From:
<https://www.knoppia.net/> - Knoppia

Permanent link:
<https://www.knoppia.net/doku.php?id=dad:sockets-3>

Last update: **2023/11/23 11:05**

